

NO/GPP/WS/Elect/2019-20/604

Date:-29.01.2020

Sub:- Regarding extension to due date of Quotation.(Extension-2) Ref:- 1) No/GPP/WS/Elect/2019-20/180 dt. 10.01.2020 2) No/GPP/WS/Elect/2019-20/441 dt. 22.01.2020

With reference to subject cited above, quotation were called for supply of Electrical Department Equipment under reference. The last date of submission of above quotation was 20.01.2020. The opening date was **21.01.2020**.

As per reference No. (2) submission of quotation due date is extended up to **dt. 28.01.2020 at 3.00 P.M**. The same sealed quotation will be opened on **dt. 28.01.2020 at 4.00 P.M**.

Due to poor response to above quotations, submission of quotation due date is extended up to **dt. 31.01.2020 at 3.00 P.M**. The same sealed quotation will be opened on **dt. 31.01.2020 at 4.00 P.M**.


Note :- The bidder who had already submitted the quotations within due date, need not to submit again.

Sdxxx

(Dr. V. S. Bandal) Principal Govt. Polytechnic, Pune

Copy to –

- 1. By mail The Joint Director, R.O. Pune It is requested to publish the letter on the web site.
- 2. The Head of Computer Department, for hosting on the Institute's website in time limit.
- 3. Main Notice Board, GP. Pune.



NO/GPP/WS/IT/2019-20/605

Date:-29.01.2020

Sub:- Regarding extension to due date of Quotation.(Extension-1) Ref:- 1) No/GPP/WS/IT/2019-20/181 dt. 10.01.2020

With reference to subject cited above, quotation were called for supply of IT Department Equipment under reference.. The last date of submission of above quotation was dt. 20.01.2020. up to 5.00 P.M.

The opening date was 21.01.2020 3.00 P.M.

Due to poor response of following items submission of quotation due date is extended up to **dt. 31.01.2020 at 3.00 P.M**. The same sealed quotation will be opened on **dt. 31.01.2020 at 4.00 P.M**.

Sr. No	Name of the item with specification	Quantity required	Estimated Cost per qty
01	8085 Microprocessor Kit:- Intel-8085 microprocessor trainer kit with	10	5000
	power supply .Manual and serial.		
02	Arduino Board: - Microcontroller platforms for rapid protoyping	2	500
03	File Runner:- Round file storage.	1	2000
04	Electric Vaccum Blower :- Ergonomic Handle, Lock on Button, Compact.	1	2000

Note :- The bidder who had already submitted the quotations within due date, need not to submit again.

Sdxxx

(Dr. V. S. Bandal) Principal Govt. Polytechnic, Pune

Copy to –

- 1. By mail The Joint Director, R.O.Pune It is requested to publish the letter on the web site.
- 2. The Head of Computer Department, for hosting on the Institute's website in time limit.
- 3. Main Notice Board, GP. Pune .



NO/GPP/WS/DDGM/2019-20/606

Date:-29.01.2020

Sub:-Regarding extension to due date of Quotation.(Extension-1) Ref:- 1) No/GPP/WS/DDGM/2019-20/179 dt. 10.01.2020

With reference to subject cited above, quotation were called for supply of DDGM Department Equipment under reference.. The last date of submission of above quotation was 20.01.2020. up to 5.00 PM. The opening date was 21.01.2020 up to 3.00 PM.

Due to poor response to above quotations, submission of quotation due date is extended up to **dt. 31.01.2020 at 3.00 P.M**. The same sealed quotation will be opened on **dt. 31.01.2020 at 4.00 P.M**.

Note :- The bidder who had already submitted the quotations within due date, need not to submit again.

Sdxxx

(Dr. V. S. Bandal) Principal Govt. Polytechnic, Pune

Copy to –

- 1. By mail The Joint Director, R.O.Pune It is requested to publish the letter on the web site.
- 2. The Head of Computer Department, for hosting on the Institute's website in time limit.
- 3. Main Notice Board, GP. Pune .